



NON-MEDICATED ALL MILK REPLACER

GUARANTEED ANALYSIS

Crude Protein, min Crude Fat, min Crude Fiber, max Calcium, min Calcium, max Phosphorus, min Selenium, min Vitamin A, min Vitamin D3, min Vitamin E, min Vitamin C, min

20.00% 0.3 PPM 10,000 IU/LB 200 IU/LB

Total Lactic Acid Producing Bacteria 1 Billion CFU/LB (Lactobacillus acidophilus, Lactobacillus casei, Lactobacillus lactis,

INGREDIENTS

Dried Whey, Dried Whey Protein Concentrate, Dried Whey Product, Animal and Vegetable Fat (Preserved with BHT), Dried Skimmed Milk, Lecithin, Dried Milk Protein, Yeast Primary Dehydrated, Dicalcium Phosphate, Calcium Carbonate, Magnesium Sulfate, I-Lysine, dl-Methionine, Dried Lactobacillus acidophilus Fermentation Product, Dried Lactobacillus casei Fermentation Product, Dried Lactobacillus lactis fermentation Product, Dried Bifidobacterium bifidum Fermentation Product, Dried Enterococcus diacetylactis Fermentation Product, Vitamin A Acetate, Vitamin D3 Supplement, Vitamin E Supplement, Copper Proteinate, Manganese Proteinate, Zinc Proteinate, Iron Proteinate, Selenium Yeast, Dried Brewer's Yeast, Vitamin B12 Supplement, Thiamine Mononitrate, Ascorbic Acid, Biotin, Riboflavin, d-Calcium Pantothenate, Niacinamide, Choline Chloride, Menadione Sodium Bisulfite Complex (Source of Vitamin K3), Folic Acid, Pyridoxine Hydrochloride, Calcium Iodate, Zinc Sulfate, Iron Sulfate, Manganese Sulfate, Copper Sulfate, Cobalt Sulfate, Sodium Silico Aluminate, Polyoxyethylene Glycol (400) Mono and Dioleates, Extracts of Garlic, Anise, Cassia, Rosemary and Thyme, Artificial Flavor.

FEEDING INSTRUCTIONS:

It is recommended that calves be given 2 to 3 quarts of good quality colostrum as soon as possible after birth, and another 2 to 3 quarts within the first 24 hours of life. Second milking colostrum may be fed afterwards for up to 3 days. Starting on the 4th day, feed a high quality milk replacer according to the following directions:

Feed the reconstituted milk replacer at a temperature between 102-105°F and rate of 2 quarts per 100 pounds of body weight twice daily (4 quarts per 100 pounds of bodyweight per day). Large breed calves generally require 2 to 2-1/2 quarts per feeding twice daily, while smaller breed calves may need 1-1/2 to 2 quarts twice daily.

MIXING

Add 10 ounces (1 cup) of milk replacer powder into 2 quarts warm (110^{OF}) clean water and mix thoroughly. For larger batches, mix 1 1/4 pound of milk replacer powder per gallon of warm water.

MANUFACTURED BY:

Midwestern BioAg, Inc. | 10955 Blackhawk Drive Blue Mounds, WI 53517 | 800.327.6012 NET WEIGHT: 50 Lbs. (22.67 Kg)

BIOBABY™ 20-20

Description & Features: The highest quality protein and fat sources are combined with highly available trace minerals (including chelates), high levels of vitamins A, D, E and B complex, probiotic cultures, digestive enzymes and botanicals which have anticmicrobial and antifungal properties to enhance 20.00% immune function and form this "all 0.15% milk" replacer. Cold processed and instant mixing.

30,000 IU/LB Features: Our Milk Replacer is agglomerated by a special process 225 MG/LB called "Temperature Controlled Agglomeration." This process uses Bifidobacterium bifidum, Enterococcus diacetylactis) liquid nitrogen to alter the structure of the milk replacer particles to allow for excellent wettability and mixability.

> This cold process does not risk heat damaging proteins in the product.

> And since no moisture is added, the end product is more consistent, less affected by temperature and humidity.

Contains Apex, a Botanical feed additive of specific plant extracts formulated to encourage feed intake and improve calf performance.

Contains MOS (mannanoligosaccharides) which is a natural probiotic that aids in the animal's immune system.

